





AED Studios

Studio 9


Sideview



Topview



Frontview



Dimensions Studio

Surface studiofloor = 1200m²
Dimensions Entrance Gate = 3m50W x 4m10H

Dimensions Beams Studio

Height to beams = 08m38
Height to ceiling = 10m30
Distance between beams = 05m00

Loading Figures Beams Studio

Max allowed floorpressure = 2000kg/m²

Electrical Power

2 x 400A Powerlock connection
2 x CEE125A connection 5p (3PH+N+E)
3 x CEE32A connection 5p (3PH+N+E)
Cable passages to backstage area and technical area
Main Circuit board

Standard Rigging & Trussing

06 x Black ALC Truss, length = 19m20
06 x Black ALC Truss, length = 14m20
Each truss rigged on 2 x 1T Hoist
Span between hoists = See plan
Maximum trim = 07m75
All hoist rigged upside down
02 x V12 Hoistcontroller
The hoistcontrollers are connected to two of the existing CEE32A connectors, but can be unplugged if required.

Max trim = 7m75



AED Studios
Fabriekstraat 38
2547 Lint
Belgium
www.aedstudios.com

Studio/Room	Studio 09	Papersize A4
Plan type	Overview	Units [mm]
		Scale 1:400
		Version V1.0